

### Regal Prosthesis Ltd.

Please send us the filled form via email by pressing this button ▼

V3.0.2022 Pg.1/3





# Semi-Custom Made (SCM) Order Form Model BKSL Leg Sleeve

Com	ıpa	iny name						
Ema	il		Tel	Fax				
Contact person / Account no.		t person / Account no.	Order date	PO no				
Disc	lai	imer - Please explain to the patient and	ensure the patient understands t	hat:				
	1.	. It is not possible to fabricate the appearance of the prosthesis exactly same as the sound side.						
	2.	The size of the prosthesis may not match	to the sound side, it depends on th	e condition of the residual limb.				
	3.	The color of our silicone prosthesis may not match to the patient's skin tone and that, please therefore do not expect that the silicone prostheses match the patients' skin tone at all time.						
	4.	The lives of the prosthesis depend on the	environment, usage and maintena	nce.				
	5.	The warranty policy of Regal silicone pros	thesis, please refer to Regal catalo	gue 2015 v.3.1 page 154-155.				
	6.	i. The leadtime is 14 – 21 working days for Trial Prosthesis, and 14 working days for Final Prosthesis. Delivery time may be affected by the missed or rescheduled appointments, delayed shipment or other causes beyond our control. <b>Note:</b> The leadtime is counted from the date of complete information is confirmed by Regal						
	7.	The Trial Prosthesis is strictly for the purpo and should be return to Regal upon reque		uitability, not for long term use or re-sell,				
		nding this order form to Regal Prosthesis Limited, you t in our Privacy Policy. Please read the policy in our w						
	Ρ	rosthetist Signature	Date					
Ord	eri	ng procedure:						
	1.	1. Take applicable external measurements of the patient's sound and residual sides; draw 1:1 outline and enter data into the following pages. <b>Note</b> : <i>If the measurement difference between the order form and the cast is less than 4%, we shall choose the smaller measurements for fabrication.</i> ( <b>Refer to Regal Technical Guide 2015 page 4</b> )						
	2.	2. Using the color sample from Regal, select the color that closely resembles the patient's sound and residual sides and enters into the following pages. (Refer to Regal Technical Guide 2015 page 5)						
	3.	Take photos of the residual and sound sid	es.					
	4.	Using the photos in the catalogue (2015), enters into the following pages.  Note: The model and size of the final profinal prosthesis may not be the same as to page 140-141)	sthesis depend on the measureme	nt and the size chosen. The size of the				
	5.	5. Cast the sound and residual sides in the preferred natural position.  Positive cast is normally larger than the actual residual limb, it is essential that the cast dimension matches the actual residual limb dimension <sup>1,2</sup> .  Note 1: The data accuracy determines the number of trial fitting which in turns the total leadtime of the final prosthesis.  Note 2: The prosthesis' interior custom filling will be made according to the modified cast. Thus, the cast dimension must reflect the actual residual limb dimension. (Refer to Regal Technical Guide 2015 page 6-7)						
	6.	Mark casts with the patient name, APML a	alignment and sensitive area.					
	7.	Securely wrap the cast before sending our	t. As casts can be broken easily du	ring transportation.				
-	Tel:	+852 2771 8991 Fax: +852 2384 5948	Email: info@regalprosthesis.com	Website: www.regalprosthesis.com				

### Regal Prosthesis Ltd.

#### V3.0.2022 pg.2/3

# **S6**

## Semi-Custom Made (SCM) Order Form Model BKSL Leg Sleeve

Patient name	Age	Sex	Occupation
Patient contact number / E-mail			
Side and Level of amputation			

- Note 1: If the residual limb still swelling, the prosthesis may not fit the residual limb after the swelling is gone.
- **Note 2:** Avoid wearing the prosthesis while there are unhealed cuts or sores on the residual limb, and the prosthesis should only be worn after the cuts or sores are completely healed.
- Note 3: If the residual limb is sensitive, please modify the cast to relieve the sensitive area.

	Model	Regal Catalogue 2015 v.3.1 page	Order Code	Enter Code	
no	Models	Leg Sleeve	140	BKSL	
Basic Specification	Size	Large / Medium	L/M		
Ba	Side	Left / Right	L/R		
Sp	Color - Single	use color sample from Regal			
	SCM	Semi-Custom Made	7	SCM	SCM
Surface	Color	Dual Coloring (e.g. D3 - P2)	- 14	D/P	
Options: Aesthetics and Surface Enhancement		Custom Coloring (color sample is required)	14	CC	
Aesthe	Smooth Coating	Smooth Coating	19	SC	
ıs: ral	Custom Filling	- Foam	21	F	
Options: Structural Changes	Zipper	Plastic Zipper	25	PZ	
9.9.2	Glue To Socket	Glue To Socket (please send us the socket)	25	GTS	
Any special trimming requirement ? (If yes, please ensure to mark the trim line.)					
Return the cast with Final Prosthesis?  (Please be informed that we already adopted the 3D scanning technique to keep the data of plaster cast / wax cast, thus the plaster cast / wax cast from customers will be disposed during the fabrication process)					

Remark:	:					

### Regal Prosthesis Ltd.

#### V3.0.2022 pg.3/3

### Semi-Custom Made (SCM) Order Form Model BKSL Leg Sleeve

#### Guideline for 1:1 Drawing

- 1. Fill in all the measurements in ( mm inch) at the following pages that requested as below.
- 2. Mark sensitive areas with a "+"(plus sign) on the diagram.
- 3. The Trial Prosthesis fitting is most successful when the greatest number of measurements are recorded and may be able to make slight modifications to the order form.
- 4. All lengths should be measured from the posterior side.

